TT-MLC-MC-BLK



MODULAR LEADER CABLE

PRODUCT OVERVIEW



nVent RAYCHEM TraceTek Modular Leader Cables provide electrical continuity over short distances between the alarm module and the sensing cable. One end is prepared with exposed conductors for easy connection to the terminals of the nVent RAYCHEM TraceTek alarm module (or for splicing to bulk jumper cable) and other end is prepared with a female socket type connector compatible with nVent RAYCHEM TraceTek modular sensing cables or modular jumper cable.

ORDERING INFORMATION

Catalog Number	Part number	Description
TT-MLC-MC-BLK	133332-000	12 ft (4 m) leader cable for TT5000, TT5001, TT7000. Factory installed female metal connector.

Note: Refer to the Product Selection Guide (H53874) for other components of the nVent RAYCHEM TraceTek system.

PRODUCT CHARACTERISTICS

Cable outer diameter 0.220 in (5.6 mm) nominal

4 x 22 AWG with polyolefin insulation. Insulation colors Black, Green Red, Yellow Conductors

Outer jacket Polyurethane jacket, black

APPROVALS AND CERTIFICATIONS

nVent RAYCHEM TraceTek sensing and leader/jumper cables are approved for installation in ordinary and hazardous areas when used in conjunction with approved nVent RAYCHEM TraceTek monitoring equipment and zener safety barriers when appropriate.

All of our sensing and leader/jumper cables are designated as "simple apparatus" and included in the approval certification for nVent RAYCHEM TraceTek monitoring instruments.

IEXEX BAS 16.0015X

Ex ia IIC T4 Ga (-40°C≤Ta≤+60°C)

Baseefa16ATEX0013

⟨£x⟩ II 1G Ex ia IIC T4 Ga (-40°C≤Ta≤+60°C)

North America

Tel +1.800.545.6258 Fax +1.800.527.5703 thermal.info@nVent.com

Europe, Middle East, Africa

Tel +32.16.213.511 Fax +32.16.213.604 thermal.info@nVent.com

Asia Pacific

Tel +86.21.2412.1688 Fax +86.21.5426.3167 cn.thermal.info@nVent.com

Latin America

Tel +1.713.868.4800 Fax +1.713.868.2333 thermal.info@nVent.com



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER

nVent.com